

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3225	Bantam Ledge Buoy DBL South of ledge.					Black and red with two black spherical topmarks.	
						*	45/04
*17170	- Buoy 13					Green can.	Private aid.
							45/04
Sippican Harbor Upper Channel							
<i>Aids maintained from Apr. 15 to Oct. 15.</i>							
17175	- Buoy 14	41 42 25 N 70 45 31 W				Red nun.	Private aid.
		*					45/04
CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
615 27965	- JETTY LIGHT	35 46 26 N 75 31 30 W	Iso W 6s	28	7	NB on pile.	
		*					45/04
*637	NOOA Data Lighted Buoy 41025 (ODAS)	35 03 25 N 75 22 50 W	Fl (4) Y 20s		6	Yellow boat shaped hull.	
							45/04
CAPE HATTERAS TO LITTLE RIVER INLET (Chart 11520)							
640	Diamond Shoal Lighted Buoy 12	35 09 05 N 75 17 33 W	Q R		4	Red.	Marks remaining structure of Diamond Shoal Light.
						*	45/04
790 29650	New River Inlet Lighted Whistle Buoy NR	34 31 02 N 77 19 33 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	
		*					45/04
*27995	- OREGON INLET JETTY LIGHT	35 46 26 N 75 31 30 W	Iso W 6s	28	7	NB on pile.	
							45/04
28337	- Buoy 8A						Remove from list.
							*
							45/04
NEW RIVER (Chart 11542)							
New River Inlet							
<i>Due to frequently changing conditions, positions of aids are not listed.</i>							
29650 790	- Lighted Whistle Buoy NR	34 31 02 N 77 19 33 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	
		*					45/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*813	DANIA BEACH FISHING PIER OBSTRUCTION LIGHT	26 03 30 N 80 06 30 W	F R	18		On pier.	Private aid. 45/04
2395	- Channel Lighted Bell Buoy 3						Remove from list. * 45/04
2820	U.S. NAVY PIER Z LIGHTS (2)	32 51 14 N 79 57 04 W	F Bu			On pier.	Maintained by U.S. Navy. * 45/04
2833	- Lighted Buoy 50		FI R 2.5s		3	Red.	 * 45/04
4230.01	Coast Guard Mooring Buoy						Remove from list. * 45/04
5645	Olympic Security Zone Daybeacon BR						Remove from list. * 45/04
*Delete Heading: *St. Marys Entrance							
6525	- RANGE FRONT LIGHT	30 42 28 N 81 27 54 W	FI W 2.5s (Day) FI W 2.5s (Night)	26 30		KRW on tower. On same structure as Cumberland Sound Obstruction Light.	DAY: Visible on range line only. NIGHT: Visible 4° each side of range line. 45/04
*Add Heading: *St. Marys Entrance							
*6525.5 37920	- RANGE FRONT PASSING LIGHT	30 42 28 N 81 27 54 W	FI W 2.5s	30	5	On same structure as St. Marys Entrance Range Front Light.	 45/04
*Delete Heading: *St. Johns River							
9402	- Daybeacon 9					SG on pile.	 45/04
*Delete Heading: *Sanford Spoil Bank							
9405	Lake Monroe Fish Attraction Device Buoy A	28 49 54 N 81 16 36 W				Yellow nun.	Private aid. 45/04
*Add Heading: *Sanford Spoil Bank							
9410	Lake Monroe Fish Attraction Device Buoy B	28 50 54 N 81 15 12 W				Yellow nun.	Private aid. 45/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10445	DANIA BEACH FISHING PIER OBSTRUCTION LIGHT						<i>Remove from list.</i>
							* 45/04
	*Delete Heading: Florida Bay *Windley Key						
12688	- West Channel Daybeacon 2				TR on pile.		Private aid.
							45/04
	*Add Heading: *Windley Key						
12688.3	- West Channel Daybeacon 3				SG on pile.		Private aid.
							45/04
	*Delete Heading: Florida Bay *Windley Key						
12688.5	- West Channel Daybeacon 4				TR on pile.		Private aid.
							45/04
	*Add Heading: *Windley Key						
12688.7	- Channel Daybeacon 6				TR on pile.		Private aid.
							45/04
	*Delete Heading: *Big Sarasota Pass						
21465	- Shoal Daybeacon A						<i>Remove from list.</i>
							* 45/04
21473	- Shoal Daybeacon B						<i>Remove from list.</i>
							* 45/04
21485	- Daybeacon 5						<i>Remove from list.</i>
							* 45/04
	*Add Heading: *Big Sarasota Pass						
21495	- Shoal Daybeacon D	27 16 58 N 82 34 04 W				NW on pile worded DANGER DANGEROUS INLET.	
							45/04
25535	- Daybeacon 2				TR on pile.		Private aid.
						*	45/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2004

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
979	El Paso-WC-62-1 RACON	29 37 38 N 93 18 12 W		58		On El Paso Platform 1.	BAND: S, X. SIGN: EL PASO-WC-62-1 RACON "C" (—•—•) Private aid.
		*					45/04
*1061	Tarpon-103-1 Lighted Buoy Marks Subsea Installation.	28 14 02 N 93 35 12 W	FI W 2.5s	10		White with orange bands.	SIGN: TARPON-HI-308-001. Private aid.
							45/04
*15438	FiFi Island East Danger Daybeacon	29 15 52 N 89 57 47 W				NW on pile. WORDED:ROCK.	Marks Wave Breakers. Private aid.
							45/04
*15442	FiFi Island West Danger Daybeacon	29 15 54 N 89 57 46 W				NW on pile. WORDED:ROCK.	Marks Wave Breakers. Private aid.
							45/04
33591	GEOLOGICAL SURVEY FLOW GAGE LIGHT B						Remove from list.
							* 45/04

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2004

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*3050	- SOUTH DIRECTIONAL LIGHT	33 44 59 N 118 12 48 W	FW	120		On 3 leg tower, Visible white light in center of the outbound channel (less than 0.1°)	Alternating red/white when left of outbound channel (156.5T - 156.0T) Fixed red light when left of outbound channel (154.5T - 156.0T): Flashing Red light when left of outbound channel (154.0T - 154.5T). Alternating green/white light when right of outbound channel (156.5T -157.0T), Fixed Green light when right of outbound channel (157.0T - 158.5T), Flashing Green light when right of outbound channel (158.5T - 159.0T). Private aid.
							45/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*3055	- NORTH DIRECTIONAL LIGHT	33 46 20 N 118 13 30 W	F W	105		On 3 leg tower, Visible white light in center of the inbound channel (less than 0.1°)	Alternating red/white when right of inbound channel (336.5T - 337.5T) Fixed red light when right of inbound channel (337.5T - 338.5T): Flashing Red light when right of inbound channel (338.5T - 339.0T). Alternating green/white left when right of inbound channel (335.5T - 336.5T), Fixed Green light when left of inbound channel (334.5T - 335.5T), Flashing Green light when left of inbound channel (334.0T - 334.5T). Private aid.
							45/04
*3807	Cojo Mooring Buoy B	34 26 48 N 120 26 19 W				White with blue band.	Private aid.
							45/04
*3808	Cojo Mooring Buoy C	34 26 47 N 120 26 06 W				White with blue band.	Private aid.
							45/04
4665	<i>Oakland Inner Harbor Lighted Buoy 5</i>	37 48 07 N 122 20 23 W	FI G 4s		3	Green.	
	*	*	*			*	45/04
	Neva Strait						
25130	Columbine Rock Daybeacon 19	57 15 46 N 135 35 01 W				SG on square frame.	
		*					45/04
25215	POINT SIROI ISLAND LIGHT 12	57 25 08 N 135 35 21 W	FI R 2.5s	15	4	TR on skeleton tower.	Obscured from 272° to 025°.
		*					45/04
*28006.2	<i>UH Research Lighted Buoy B</i>	22 46 00 N 157 53 54 W	FI Y 4s			Yellow.	Private aid.
							45/04
28130	Cape Kumukahi Light	19 30 59 N 154 48 39 W	FI W 15s	156	24	White pyramidal skeleton tower. 115	Lighted throughout 24 hours. Obscured from 015° to 120°. Emergency light of reduced intensity when main light is extinguished. Operates during periods of darkness only.
					*		45/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2004

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*3742	Ashtabula Township Park Breakwall Light	41 54 30 N 80 46 49 W	F Y	7 2		On single pile.	Private aid. 45/04
*5951	- Buoy A	41 36 22 N 83 04 28 W				White with orange bands.	Private aid. 45/04
*5951.1	- Buoy B					White with orange bands.	Private aid. 45/04
*5951.2	- Buoy C					White with orange bands.	Private aid. 45/04
*5951.3	- Buoy D	41 37 00 N 83 03 54 W				White with orange bands.	Private aid. 45/04
*5951.4	- Buoy E					White with orange bands.	Private aid. 45/04
*5951.5	- Buoy F					White with orange bands.	Private aid. 45/04
*5951.6	- Buoy G					White with orange bands.	Private aid. 45/04
*5951.7	- Buoy H					White with orange bands.	Private aid. 45/04
*5951.8	- Buoy I					White with orange bands.	Private aid. 45/04
*5951.9	- Buoy J	41 35 54 N 83 02 30 W				White with orange bands.	Private aid. 45/04
*5952	- Buoy K					White with orange bands.	Private aid. 45/04
*5952.1	- Buoy L					White with orange bands.	Private aid. 45/04
*5952.2	- Buoy M	41 35 32 N 83 03 23 W				White with orange bands.	Private aid. 45/04
*6016	Rear Range Light - 120 feet, 190° from front light.		F R	42 13		KRW on pipe.	Private aid. 45/04
*6716	Buoy A	41 58 26 N 83 15 20 W				White with orange bands.	Private aid. 45/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2004							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*6716.1	Buoy B	41 58 31 N 83 15 00 W				White with orange bands.	Private aid. 45/04
*6716.2	Buoy C	41 58 28 N 83 14 49 W				White with orange bands.	Private aid. 45/04
*6716.3	Buoy D	41 58 20 N 83 14 15 W				White with orange bands.	Private aid. 45/04
*6716.4	Buoy E	41 58 12 N 83 13 42 W				White with orange bands.	Private aid. 45/04
*6716.5	Buoy F	41 57 46 N 83 13 44 W				White with orange bands.	Private aid. 45/04
*6716.6	Buoy G	41 57 20 N 83 13 46 W				White with orange bands.	Private aid. 45/04
*6716.7	Buoy H	41 56 54 N 83 13 48 W				White with orange bands.	Private aid. 45/04
*6716.8	Buoy I	41 56 54 N 83 14 23 W				White with orange bands.	Private aid. 45/04
*6716.9	Buoy J	41 56 54 N 83 14 58 W				White with orange bands.	Private aid. 45/04
*6717	Buoy K	41 56 54 N 83 15 11 W				White with orange bands.	Private aid. 45/04
*8147	Mariner's Memorial Lighthouse Lighthouse		F W	43 13	10	Red and White.	Private aid. 45/04
*8201	Tri-Centennial State Park Entrance Light 1	42 19 56 N 83 01 32 W	FI G 4s		22	On single pile.	Private aid. 45/04
*8202	Tri-Centennial State Park Entrance Light 2	42 19 56 N 83 01 30 W	FI R 4s		22	On side of Lighthouse.	Private aid. 45/04
*14582	Munising City Pier Light	46 24 50 N 86 39 07 W	FI R 3s		14	On white post.	Private aid. 45/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2004

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*15584	Cornucopia West Pier Entrance Buoy 2					Red nun.	Private aid. 45/04
21791	Cedar River Buoy 2A	45 24 20 N 87 20 59 W				Red.	Maintained from Apr. 14 to Nov. 7. * 45/04
21792	Cedar River Buoy 2B	45 24 24 N 87 21 01 W				Red.	Maintained from Apr. 14 to Nov. 7. * 45/04

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
 Denotes a new entry when preceding the station number.